



ASX RELEASE

11 March 2010

BATTLER HIGH GRADE GOLD ZONE EXTENDED

- Intercept of **6m @ 8.44 g/t Au** including **5m @ 9.88 g/t Au** returned from hole BGRC125 drilled 20m north of previously reported high grade intersection
- Mineralisation remains **open along strike to the north**
- Infill drilling defines the Battler Splay to approximately 110m vertical depth for resource calculation

Assay results have been received from five RC drill-holes completed at Battler during February 2010 designed to infill and extend the known mineralisation. Drill-hole BGRC124 was drilled up dip of the previously reported intersection of **14m @ 7.24 g/t Au** (including **6m @ 12.33 g/t Au**) returned from drill-hole BGRC120. The hole did not return any significant results suggesting that while gold mineralisation is high grade, the size of the target is smaller than anticipated. The intersection of **6m @ 8.44 g/t Au** from hole BGRC125 lies 20m further north and shows high grades continue along strike to the north and gold mineralisation remains open down plunge.

Ongoing work at Battler will concentrate on section reinterpretation and a revised resource estimate which will be calculated from 3D modelling of the gold zone at Battler. This will then be used for preliminary pit optimisation and assessment of the underground potential.

The modelling will also aid further exploration targeting. Given the high gold grades and strong alteration zones encountered to date, SXG intends to continue target generation on the Battler leases.

Drilling is expected to re-commence at Bullfinch North in approximately 2 weeks, testing large geochemical and RAB gold anomalies within the pressure shadow to the north of the Ennuin granite dome.

Southern Cross Goldfields Ltd
ABN 71 124 374 321 ACN 124 374 321
Street Address: Level 2, 123B Colin Street, West Perth
Mailing Address: PO Box 708, West Perth 6872



Hole ID	Depth	East GDA94	North GDA94	East Local	North Local	From (m)	To (m)	Interval (m)	Grade g/t Au
BGRC121	132	727361	6529533	1076	2581	75	78	3	2.46
					incl.	75	76	1	4.86
						100	104	4	2.26
						111	115	4	2.85
BGRC122	150	727391	6529554	2580	1113	104	107	3	2.72
BGRC123	180	727387	6529601	1137	2622	134	135	1	1.14
						148	149	1	1.07
BGRC124	138	727348	6529550	1075	2603	39	40	1	3.34
BGRC125	147	727349	6529573	1090	2620	66	67	1	6.19
						130	131	1	3.62
						139	145	6	8.44
					incl.	139	144	5	9.88

Table of Intersections – Battler RC Drilling February 2010

Notes to accompany assay table:

Collar co-ordinates in MGA94, Zone 50; local north rotated 35° anti-clockwise from true north.

Collar locations accurate to 0.5m, all holes surveyed down-hole.

All holes drilled at -60° toward local grid west (235°T).

All drilling is by 5.25 inch face sampling RC hammer and samples are riffle split on site to a nominal 2kg.

Interpreted mineralised zones are sent for assay and other zones are spear sampled and composited into 4m intervals for assay.

All 1m samples are assayed by 40g fire assay at Ultratrace laboratories, Perth.

All 4m composites assayed by 40g fire assay at Ultratrace laboratories, Perth.

All 4m composite samples >0.2g/t Au currently being re-split and assayed at 1m intervals as above.

Intersections calculated at 1g/t Au cut-off and maximum 2m internal waste.

- ENDS

For further details, please contact

Tony Truelove, Managing Director – Southern Cross Goldfields Ltd

Telephone +61 8 9215 7600, email tonyt@scross.com.au

Refer to www.scross.com.au

JORC COMPLIANCE STATEMENT

The information in the report to which this statement is attached that relates to Exploration Results, Mineral Resources or Ore Reserves is based on information compiled by Antony Truelove who is a Member of The Australasian Institute of Mining and Metallurgy and the Australian Institute of Geoscientists. Antony Truelove is a full time employee of Southern Cross Goldfields Limited. Antony Truelove has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity that he is undertaking to qualify as a Competent Person as defined in the 2004 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Antony Truelove consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Att: Figures 1-3




Figure 1 – Battler Cross Section 2600N (Local Grid)




Figure 2 – Battler Cross Section 2620N (Local Grid)

